Collection No. 56.
Key + Chinnick

Trangie to Nyngan

25-26/4/54

Trangie to Nyngan.

25/4/54. 61798 Mowera 800. Leopardwood, Morava sp. n. 2, Macrozoplonia sp., Corynotheca sp., Genus nov. 5(?), rosewood + Eulga on typical soil. Understory Genus nov. 8. Peakesia fuscomaculata, of Atriplex vesicaria + shrubby Rhagodia Zabrala sp. Macrotona scleroformis sp. with occ. A. muricata, separated on average by perhaps twice the diameter of the shrubs, but with larger bare areas frequent. Sparse ground layer of Bassia spp. in patches. To the east + along the railway the soil became grey-brown grasses, including Astrebla lappacea, appeared sm., the trees abound + in the first area Morava sp. n. became + the shrubs denser. Morava on the Bassia + on Rhagodia + A. vesicaria, especially under the trees. M. cultrata and Zabrala along the railway + + probably to east of the trees. Gen. nov. 8 on the A. vesicaria. The skarabs much more numerous than on my previous visit.

26/4. 908. Morava sp. n. 2, Genus nov. 5(?), Peakesia shrubby fuscomaculata, Austrobrickellia pusilla with Rhagodia + Atriplex spp., low soft Bassias as sparse ground cover. Soil 4-7. Austracris guttulosa, Ephemeropsis 9/12 = 800. 916. Rostellularia, C. glauca, sp., Pycnostictus sp. n. Genus nov. 8 Acacia? loeculosa, occ. intertexta, uncinata, wild orange. Pasture very short + sparse, Chat, Hibbertia mainly annuals. 920. Nyngan. Return.

61929. Acronychia pustulifera inter p. pustulosa x p. mallee, widely spaced tubular-cod, largiflorens Morabas sp. n. 2, Gonioca sp. Zabrala sp., + occ. bluish mulla-mulla. A. vesicaria Austrocistus pusilla
storey to 3ft. Rhagodia sp. occ. under trees. Bassia spp. & Kochia spp. occ. Fair amount of grass Eupucon shrubs, occ. small galgais with a emu fer. Morabas sp. n. 2, Soil 4 & 4-7. Chart. 930. Largiflorens Conyza sp. Senecio spp. 5(?). Zabrala sp., Acacia pyconacula ba
much thinned woodland, with rather dense shrub layer of A. vesicaria, Bassia spp. (dense), Kochia spp., Rhagodia spp. & sp. under trees), little grass. Soil 4-7. Patches of greasy soil with a soft-leafed Bassia to 3in. the chief sp.